THE NEUROSCIENCE OF INTERNET PORNOGRAPHY ADDICTION

Todd L. Love
PsyD, JD, MBA, LPC, BCC
S-PSB, CSAT
Private Practice, Athens, GA

todd@doctoddlove.com

706-383-7401



Disclaimer/Disclosures

- Clinician, not an academic or researcher
- ADHD
 - · Yes, I've got ADHD. Which means I have the potential to...
 - ...talk fast, jump around, interrupt myself, trail off, etc.
 - · Confession: It I look like I'm reading, I probably am
- Please hold questions until the end.



"Sex Neutral" presentation

- No stance being taken on the sex (+) vs. sex (-) debate as applied to the topic of internet pornography
- What this presentation is not
 - A condemnation or promotion of pornography or pornography use
 - Commenting on sociological, cultural, spiritual/religious, moral, philosophical, psychological, feminist, anthropological, political, etc. perspectives.



"Addiction"

Historical Concept of Addiction


• "A chronic, relapsing brain disease that is characterized by compulsive drug seeking and use, despite harmful consequences" (NIDA, 2012)

Addictive behaviors are Not a new concept:

- Orford (1985) "Excessive Appetites" gambling, eating, sex
- Marlatt, Baer, Donovan, & Kivlahan (1988) "Addictive behaviors"
- Multiple overlaps b/t behavioral addictions and chemical addictions: Comorbidity, course, genetic contribution, neurobiology, phenomenology (craving, intoxication, withdrawal), tolerance, and treatment response (Grant, Potenza, Weinstein, & Gorelick, 2010; Leeman & Potenza, 2013) (more & more & more & more ...)
 - · About Reward, not Pleasure
 - Anticipation



Behavioral Addiction



• A primary, chronic disease of brain reward, motivation, memory and related circuitry... This is reflected in an individual pathologically pursuing reward and/or relief by substance use and other behaviors. (ASAM, 2011)



Tolerance and Withdrawal

- Tolerance results from a homeostatic adaptation to chronic increased levels of dopamine in the Reward Center (potentially caused by alcohol, gambling, gaming, porn, sex, etc.)
 - Need more to maintain desired state
- Withdrawal incorrectly thought to require external chemical consumption
 - Withdrawal is <u>negative mood state</u> resulting from loss of artificially elevated levels of dopamine due to cessation of chronic activities (chemical consumption or behavioral patterns)

Example Addictive Behaviors

- Lifestyle-related
 - Gambling Disorder, Shopping Addiction, Sex Addiction
- <u>Technology-related</u>
 - Internet-related Addictions
 - Smartphone Addiction
 - Nomophobia (Bangalore, France, New Delhi, Turkey)
 - Nomophobia Questionnaire (NMP-Q)
- Food-related
 - Binge Eating




Gambling Disorder

- Now officially an addiction in both the DSM-5 & ICD-11
 - Substance-Related and Addictive Disorders
 - Substance-Related Disorders
 - Drugs, alcohol, nicotine, caffeine
 - Non-Substance-Related Disorders
 - Gambling Disorder



- · Disorders due to substance use
 - · Drugs, alcohol, nicotine, caffeine
- · Disorders due to addictive behaviors
 - Gambling Disorder







Internet Addiction

- Officially Proposed for DSM-5
 - Block (2008) 4 key components: excessive use, withdrawal, tolerance, & adverse consequences
 - Subtypes: excessive gaming, sexual preoccupations, email/txt msg
 - Added later: Social networking (Yau, Crowley, Mayes, & Potenza, 2012)
- DSM-5 Outcomes:
 - Internet Addiction/Internet Use Disorder not included
 - Internet Gaming Disorder diagnosis created in Section III (never proposed)



Terms: "Internet Addiction" ~ "Internet Use Disorder" ~ "IAD", etc.

- Internet Addiction Disorder (IAD)
- Internet Use Disorder (IUD)
- Compulsive Internet Use (CIU)
- Problematic Internet Use (PIU),
 - General Problematic Internet Use (GPIU) vs. Specific Problematic Internet Use (SPIU)
- Pathological Technology Use (PTU)
 - Includes computer, Internet, television, cellphone, video games, etc.
- Internet Communication Disorder (ICD) (SNS focused)
- Internet Addiction Test (IAT) (sIAT)
 - Arabic, Chinese, Finnish, French, German, Greek, Italian, Korean, Malay, Portuguese, Vietnamese

Technology-related Addictions

- Internet-related Addictions
 - Internet Addiction
 - GIA (YouTube, Reddit, Amazon, eBay, etc.)
 - Internet Gaming Disorder
 - Internet Pornography Addiction
 - Social Networking (SNS, FB, IG) Addiction
 - Bergen Facebook Addiction Scale (BFAS)
 - Facebook Intrusion Questionnaire (FIQ)
 - Instagram Addiction Scale (IAS)
 - Social Networking Addiction Scale (SNWAS)
- Smartphone Addiction
 - Problematic Cellular Phone Use Questionnaire (PCPU-Q)
 - Smartphone Addiction Proneness Scale (SAPS)
 - Smartphone Addiction Scale (SAS)
 - Smartphone Addiction Inventory (SPAI)



Internet Gaming Disorder (IGD)

- #1 of 3 originally proposed subtypes of Internet Addiction
- Listed in Section III "Conditions for further study" in the DSM-5
- Accepted by WHO as "Gaming Disorder" in the ICD-11
- Massive amounts of neuroscience research published in this area
 - MRI
 - fMRI
 - PET
 - SPECT
 - EEG
 - more?



Internet Pornography Addiction (IPA)


- #2 of 3 original subtypes of Internet Addiction
- "Compulsive Sexual Behavior Disorder" (CSB)
 - Official ICD-11 diagnosis (upcoming release)

Unnecessary controversy and Illogic

- ✓ Gambling can develop into an addiction
 ✓ (official)
- ✓ Internet Gaming can develop into an addiction

 ✓ (official internationally)
- Chronic use of social media can develop into an addiction
- Chronic use of smartphones can develop into an addiction
- Chronic use of the internet in general can develop into an addiction
- X Excessive and chronic time spent on internet pornography cannot develop into an addiction. X (Never, ever.)

Addiction Neurobiology




Purper-Ouakil D, Ramoz N, Lepagnol-Bestel AM, et al. Neurobiology of attention deficit/hyperactivity disorder. Pediatr Res 2011; 69: 69R-76R./

Addiction Neurobiology

Mesocorticolimbic Dopamine System/Network:

- 1. **Mesolimbic pathway:** (horizontal red line) Midbrain, limbic, emotions, etc. Pathway that is most closely associated with impulsivity & motivation.
- 2. **Mesocortical pathway:** (vertical red line) Downward connection from frontal lobe to midbrain. associated with cognitive functions such as executive functions.





Addiction Neurobiology: NIH 3-Phase model


- Stage 1: Binge/intoxication
 - "Sensitization" "Thrills & excitement"
- Stage 2: Withdrawal/negative affect
 - "Desensitization" "Numbed pleasure response"
- Stage 3: Preoccupation/anticipation
 - "Hypofrontality" "Willpower erodes"
- + Dysfunctional Stress Circuits
- Can make even minor stress lead to cravings and relapse because they activate powerful sensitized pathways.

Koob, Neurocircuitry of addiction." Neuropsychopharmacology 35.1 (2010): 217.



Neuroplasticity


- <u>Sensitization</u>: Creating new pathways (learning)
- Desensitization: Weakening old pathways
- "Rewiring"




Neuroplasticity: the brain's ability to change and adapt as a result of experience



Nerve cells that fire together...




...wire together



The Coolidge Effect




Dopamine surges for a novel sexual partner



© 2020 Doc Todd Love, LLC

Supernormal Stimulus


- Tinbergen
 - Bird Eggs & Butterfly Wings
- Deirdre Barrett
 - "How Primal Urges Overran Their Evolutionary Purpose"







Information Overload - Classical Conditioning




Internet Porn as a Supernormal Stimulus: Evolutionary Mismatch

"All excessive stimulations of the reward circuitry that are not the behaviors for which it originally evolved are problematic."

–Jay Phelan, PhD

"Like crack and Krispy Kreme donuts, Internet porn is another manifestation of mismatch."

–Jay Phelan, PhD







Research Examples

- 2015 literature review showing 300+ neuroscientific studies supporting the notion of internet pornography addiction.
 - MRI
 - fMRI
 - PET
 - SPECT
 - EEG



Love, T., Laier, C., Brand, M., Hatch, L., & Hajela, R. (2015). Neuroscience of Internet pornography addiction: A review and update. *Behavioral sciences*, *5*(3), 388-433.




Neuroscience Research on Internet Addiction (incomplete list)

- Park, Jeong Ha, et al. "Comparison of Qeeg Findings between Adolescents with Attention Deficit Hyperactivity Disorder (Adhd) without Comorbidity and Adhd Comorbid with Internet Gaming Disorder." Journal of Korean medical science 32.3 (2017): 514-21.
- Brand, Matthias, et al. "Integrating Psychological and Neurobiological Considerations Regarding the Development and Maintenance of Specific Internet-Use Disorders: An Interaction of Person-Affect-Cognition-Execution (I-Pace) Model." Neuroscience & Biobehavioral Reviews 71 (2016): 252-66.
- Zhu, Y., H. Zhang, and M. Tian. "Molecular and Functional Imaging of Internet Addiction." Biomed Res Int 2015 (2015): 378675.
- Yuan, K., et al. "Core Brain Networks Interactions and Cognitive Control in Internet Gaming Disorder Individuals in Late Adolescence/Early Adulthood." Brain Struct Funct (2015).
- Wang, Y., et al. "Decreased Prefrontal Lobe Interhemispheric Functional Connectivity in Adolescents with Internet Gaming Disorder: A Primary Study Using Resting-State Fmri." PLoS One 10.3
 (2015): e0118733.
- Wang, H., et al. "The Alteration of Gray Matter Volume and Cognitive Control in Adolescents with Internet Gaming Disorder." Front Behav Neurosci 9 (2015): 64.
- · Liu, J., et al. "Functional Characteristics of the Brain in College Students with Internet Gaming Disorder." Brain Imaging Behav (2015).
- Lin, X., et al. "Impaired Risk Evaluation in People with Internet Gaming Disorder: Fmri Evidence from a Probability Discounting Task." Prog Neuropsychopharmacol Biol Psychiatry 56 (2015): 142-8
- Lin, X., et al. "Abnormal Gray Matter and White Matter Volume in 'Internet Gaming Addicts'." Addict Behav 40 (2015): 137-43.
- LI, W., et al. "Brain Structures and Functional Connectivity Associated with Individual Differences in Internet Tendency in Healthy Young Adults." Neuropsychologia 70 (2015): 134-44.
- Kuhn, S., and J. Gallinat. "Brains Online: Structural and Functional Correlates of Habitual Internet Use." Addict Biol 20.2 (2015): 415-22.
- Ko, C. H., et al. "Altered Gray Matter Density and Disrupted Functional Connectivity of the Amygdala in Adults with Internet Gaming Disorder." Prog Neuropsychopharmacol Biol Psychiatry 57 (2015): 185-92.
- . Chen, C. Y., et al. "Brain Correlates of Response Inhibition in Internet Gaming Disorder." Psychiatry Clin Neurosci 69.4 (2015): 201-9.
- · Wee, Chong-Yaw, et al. "Disrupted Brain Functional Network in Internet Addiction Disorder: A Resting-State Functional Magnetic Resonance Imaging Study." PloS one 9.9 (2014): e107306.
- Tian, M., et al. "Pet Imaging Reveals Brain Functional Changes in Internet Gaming Disorder." Eur J Nucl Med Mol Imaging 41.7 (2014): 1388-97.
- Sun, Y., et al. "Assessment of in Vivo Microstructure Alterations in Gray Matter Using Dki in Internet Gaming Addiction." Behav Brain Funct 10 (2014): 37.
- Meng, Y., et al. "The Prefrontal Dysfunction in Individuals with Internet Gaming Disorder: A Meta-Analysis of Functional Magnetic Resonance Imaging Studies." Addict Biol 20.4 (2014): 799-808.
- Ko, C. H., et al. "Altered Brain Activation During Response Inhibition and Error Processing in Subjects with Internet Gaming Disorder: A Functional Magnetic Imaging Study." Eur Arch Psychiatry Clin Neurosci 264.8 (2014): 661-72.
- Kim, J. E., et al. "Neural Responses to Various Rewards and Feedback in the Brains of Adolescent Internet Addicts Detected by Functional Magnetic Resonance Imaging." Psychiatry Clin Neurosci 68.6 (2014): 463-70.
- Jung, YC, et al. "P-72altered Cingulate-Hippocampal Synchrony Correlate with Aggression in Adolescents with Internet Gaming Disorder." Alcohol and alcoholism 49.suppl 1 (2014): i67-i68.
- Dong, G., et al. "Cognitive Flexibility in Internet Addicts: Fmri Evidence from Difficult-to-Easy and Easy-to-Difficult Switching Situations." Addict Behav 39.3 (2014): 677-83.
- Ding, W. N., et al. "Trait Impulsivity and Impaired Prefrontal Impulse Inhibition Function in Adolescents with Internet Gaming Addiction Revealed by a Go/No-Go Fmri Study." Behav Brain Funct 10 (2014): 20.
- . Choi, JS. "Sy08-2neurophysiological and Neuroimaging Aspects between Internet Gaming Disorder and Alcohol Use Disorder." Alcohol and Alcoholism 49.suppl 1 (2014) 10-10.
- Brand, M., K. S. Young, and C. Laier. "Prefrontal Control and Internet Addiction: A Theoretical Model and Review of Neuropsychological and Neuroimaging Findings." Front Hum Neurosci 8 (2014): 375.

@ 00000 D -- T--1-1-1----- 11-0

University of Cambridge study





Voon, Valerie, et al. "Neural correlates of sexual cue reactivity in individuals with and without compulsive sexual behaviours." *PloS one* (2014).



Max-Planck institute study

"Brain Structure and Functional Connectivity Associated With Pornography Consumption: The Brain on Porn" --- May, 2014: *JAMA Psy.*

Lead author Simone Kühn said:

"That could mean that regular consumption of pornography more or less wears out your reward system."

• "We assume that subjects with a high porn consumption need increasing stimulation to receive the same amount of reward."

JAMA Psychiatry




Hypofrontality

Altered frontal lobes - leading to weakened willpower & inability

to control use

"The nerve connections between the reward circuit and prefrontal cortex worsened with increased porn watching.









Getting Desensitized

The Everything else in Addiction your life



Potential Consequence: Altered Sexual Interests




Adolescent and young adult males report progressing to increasingly extreme or ego-dystonic forms of pornography in order to maintain sexual arousal and achieve orgasm.

- 1. Sexual orientation incongruent pornography
- 2. Values incongruent pornography (fetishes, violence)
- 3. Underage or other illegal pornography
- Important clinical considerations:
 - 1. Porn induced sexual tastes NOT necessarily permanent
 - 2. Porn induced sexual tastes NOT necessarily reflect sexual orientation



Video: REWIRED documentary trailer




Porn Induced Erectile Dysfunction (PIED)

Another potential problem w/ repeated porn use






Competing sexual pathways



Porn: The preferred pathway



Basic Self-Test for PIED

- Step 1: Masturbate to hardcore porn as usual
- Step 2: Attempt to masturbate WITHOUT porn







PIED Recovery Forums












Many with porn-induced fetishes or porn-induced ED need to not only stop using porn, they also need to rewire their sexual arousal to real partners.

Porn Addiction Withdrawal Symptoms

- Anxiety
- Restlessness
- Irritability
- Insomnia
- Fatigue
- Poor concentration
- Depression
- Mood swings
- Social isolation
- Headaches
- Severe loss of libido ("the flatline")






Benefits of quitting may include

- Increases in Energy & Motivation
- Improved Concentration
- Anxiety reduction
- Brain Fog clears
- Start new Hobbies
- Start Dating again
- Go back to School
- Emotional Reconnection
- Newfound Confidence







FIN

Todd L. Love, PsyD, JD, MBA, LPC

Private Practice, Athens, GA todd@doctoddlove.com
www.doctoddlove.com
404-663-7401

www.facebook.com/doctoddlove www.google.com/+Doctoddlove

in www.linkedin/in/doctoddlove www.twitter.com/doctoddlove



© 2020 Doc Todd Love, LLC

<u>& C</u>

Pai



Video: Love Child documentary trailer

